Serial No.: 10/023,209 -2 - Art Unit: 3712

Conf. No.: 2655

In the Claims

Applicant has submitted a new complete claim set showing marked up claims with insertions indicated by underlining and deletions indicated by strikeouts and/or double bracketing.

Please amend claim 38 as noted below.

1. (Previously Presented) Packaging for holding a pan and a cover together, the packaging comprising:

an elongated sheet having a first part of the sheet secured to a second part of the sheet;

a first panel and a second panel provided between the secured first and second parts of the sheet and adapted to be spaced from one another to form a loop having a loop opening to accommodate a cover of a pan therebetween;

a first hole located in the first panel adapted to receive a handle of a cover; and a second hole located in a portion of the sheet and adapted to receive a handle of a pan;

wherein a length of the loop opening is greater than a width of the elongated sheet.

- 2. (Original) The packaging of claim 1, wherein the first hole is substantially centered on the first panel.
 - 3. (Original) The packaging of claim 1, wherein the first hole is substantially round.
- 4. (Original) The packaging of claim 1, further comprising at least one flap extending from a perimeter of the first hole.
- 5. (Original) The packaging of claim 1, further comprising flaps formed substantially surrounding a perimeter of the first hole.
- 6. (Original) The packaging of claim 1, wherein the portion of the sheet is a separate piece attached to the sheet.

Serial No.: 10/023,209 - 3 - Art Unit: 3712

Conf. No.: 2655

7. (Original) The packaging of claim 6, wherein the portion is attached to the sheet with adhesive.

- 8. (Original) The packaging of claim 1, further comprising two opposed ends of the sheet, wherein the two opposed ends are the secured first and second parts of the sheet.
- 9. (Original) The packaging of claim 8, wherein the second hole is formed from two aligned holes one provided adjacent each opposed end of the sheet.
- 10. (Original) The packaging of claim 8, wherein the second hole is defined by the secured opposed ends forming the portion of the sheet.
- 11. (Original) The packaging of claim 8, wherein the second hole is provided adjacent the secured opposed ends.
- 12. (Original) The packaging of claim 1, further comprising a first surface, a second surface and two opposed ends of the sheet, with the secured parts of the sheet including the first opposed end secured at a point on the first surface and removed from the second opposed end.
- 13. (Original) The packaging of claim 12, wherein the first end has a top and bottom surface and the top surface of the first end is secured to the first surface to form the loop.
- 14. (Original) The packaging of claim 12, wherein the first end has a top and bottom surface and the bottom surface of the first end is secured to the first surface to form the loop.
- 15. (Original) The packaging of claim 12, wherein the second hole is provided on the portion of the sheet between the second end of the sheet and the first and second panels.
- 16. (Original) The packaging of claim 1, wherein the sheet is substantially rectangular.

Serial No.: 10/023,209 - 4 - Art Unit: 3712

Conf. No.: 2655

17. (Original) The packaging of claim 1, further comprising two opposed ends of the sheet, wherein the second hole is provided adjacent at least one end of the sheet.

- 18. (Original) The packaging of claim 1, wherein the first and second parts are affixed to each other with adhesive.
- 19. (Original) The packaging of claim 1, wherein the first and second parts are affixed to each other with at least one staple.
- 20. (Original) The packaging of claim 1, further comprising at least one flap provided adjacent a perimeter of the second hole.
- 21. (Original) The packaging of claim 1, wherein the second hole is substantially rectangular.
- 22. (Original) The packaging of claim 21, further comprising two flaps provided on opposite sides of the rectangular second hole.
- 23. (Original) The packaging of claim 1, further comprising at least one fold provided between the first panel and the second panel of the sheet.
 - 24. (Original) The packaging of claim 1, further comprising: at least four folds provided on the sheet.
- 25. (Original) The packaging of claim 24, wherein at least one fold is provided on the sheet between the first and second parts of the sheet.
- 26. (Original) The packaging of claim 1, wherein the first panel of the sheet is longer than the second panel of the sheet.
- 27. (Previously Presented) Packaging for holding a pan and a cover of the pan together, in combination with the cover of the pan, the combination comprising:

Serial No.: 10/023,209 - 5 - Art Unit: 3712

Conf. No.: 2655

a cover of a pan;

a sheet having:

a first part secured to a second part;

a first panel and a second panel provided between secured first and second parts of the sheet and adapted to be spaced from one another to form a loop to accommodate the cover of the pan therebetween; and

a hole located in a portion of the sheet and adapted to receive a handle of the pan.

- 28. (Previously Presented) The combination of claim 27, wherein the portion of the sheet is a separate piece attached to the sheet.
- 29. (Previously Presented) The combination of claim 27, wherein sheet is formed of multiple pieces.
- 30. (Previously Presented) The combination of claim 27, wherein the sheet has two opposed ends, and the two opposed ends are the secured first and second parts of the sheet.
- 31. (Previously Presented) The combination of claim 30, wherein the hole is defined by the two secured opposed ends forming the portion of the sheet.
- 32. (Previously Presented) The combination of claim 30, wherein the hole is provided adjacent the secured opposed ends.
- 33. (Previously Presented) The combination of claim 27 wherein the hole is substantially rectangular.
 - 34. (Previously Presented) The combination of claim 27, further comprising: at least one fold provided between the first panel and second panel of the sheet.
 - 35. (Previously Presented) The combination of claim 27, further comprising: at least four folds provided on the sheet.

Serial No.: 10/023,209 - 6 - Art Unit: 3712

Conf. No.: 2655

36. (Previously Presented) The combination of claim 27, further comprising:
a second hole provided on the first panel of the sheet for accommodating a cover handle of the cover.

37. (Original) A method of removably holding a pan and cover together, the method comprising the steps of:

providing a packaging having a sheet with a portion having a hole and a first part secured to a second part;

expanding the packaging to form a loop;

inserting a cover of a pan within the loop;

inserting a handle of a pan within the hole provided on the portion of the sheet, such that the cover is removably secured to the pan.

38. (Currently Amended) Packaging for holding a pan and a cover together, the packaging comprising:

an elongated sheet having a first part of the sheet secured to a second part of the sheet, and further having two opposed ends of the elongated sheet;

a first panel and a second panel provided between the secured first and second parts of the sheet and adapted to be spaced from one another to form a loop to accommodate a cover of a pan therebetween;

a first hole located in the first panel adapted to receive a handle of a cover; and

a second hole located in a portion of the sheet and adapted to receive a handle of a pan; wherein

the second hole is provided by two at least partially overlapping holes, one hole present in each of the two opposed ends of the elongated sheet -within at least one end of the elongated sheet.